

STATE AUTHORITY WORKSHEET

State Ownership and Mutation Map

Separate accessibility, legitimate readership, write authority, persistence, and restoration for one state value.

Separate accessibility, legitimate readership, write authority, persistence, and restoration for one state value. Use one identified candidate, system, operation, or decision per copy so the record remains reviewable.

USE THIS RESOURCE WHEN

- Use one copy per state value when several systems can read or mutate shared state.
- Ownership, evidence, or decision authority must be explicit.
- Another person must be able to review or reproduce the result.



Free Academy resource

English • US Letter edition • Fillable PDF • v1.0

[Resource page](#)

How to use it

Separate accessibility, legitimate readership, write authority, persistence, and restoration for one state value. Use one identified candidate, system, operation, or decision per copy so the record remains reviewable.

HOW TO USE IT

- 1 Identify the exact subject and baseline before filling the working sections.
- 2 Separate verified facts from assumptions and unresolved questions.
- 3 Link evidence to the candidate, build, version, or decision it actually supports.
- 4 Record an accountable decision, owner, and next trigger before closing the document.

EXPLORE THE ACADEMY

[Martinez AI Studios](#)

[Academy](#)

[170-lesson course](#)

[Resource page](#)

USE AND SHARING

Free for personal and educational use. Share the original Martinez AI Studios URL. No resale, commercial redistribution, or re-upload.

1. State identity

State / purpose

Be specific. Name the source, evidence, owner, and decision where applicable.

Current location

Be specific. Name the source, evidence, owner, and decision where applicable.

Current accessibility

Be specific. Name the source, evidence, owner, and decision where applicable.

Legitimate readers

Be specific. Name the source, evidence, owner, and decision where applicable.

2. Write authority

Authoritative owner

Be specific. Name the source, evidence, owner, and decision where applicable.

Accepted request or intent

Be specific. Name the source, evidence, owner, and decision where applicable.

Validator

Be specific. Name the source, evidence, owner, and decision where applicable.

Committing operation / only writer

Be specific. Name the source, evidence, owner, and decision where applicable.

3. Lifetime and recovery

Lifetime

Be specific. Name the source, evidence, owner, and decision where applicable.

Persistence rule

Be specific. Name the source, evidence, owner, and decision where applicable.

Restoration source

Be specific. Name the source, evidence, owner, and decision where applicable.

3. Lifetime and recovery — continued

Observable result

Be specific. Name the source, evidence, owner, and decision where applicable.

Duplicate / ordering policy

Be specific. Name the source, evidence, owner, and decision where applicable.

4. Ownership decision

Unsafe writer or ownership gap

Be specific. Name the source, evidence, owner, and decision where applicable.

Evidence or assumption

Be specific. Name the source, evidence, owner, and decision where applicable.

Decision — keep / move / wrap / investigate

Be specific. Name the source, evidence, owner, and decision where applicable.